



HOLE TAPPED M16X36 DEEP TO DIN332 FORM "D"

A-A  
1:2

TERMINAL BOX POSITION:  
 - CAN BE ARRANGED AT EITHER 9, 12 OR 3 O'CLOCK.  
 - STANDARD TERMINAL BOX POSITION IS 12 O'CLOCK AS SHOWN.  
 CONDUIT ENTRIES:  
 - TERMINAL BOX CAN BE ROTATED AT 90° INTERVALS

ALL MOUNTING DIMENSIONS: ISO 2768-mK ACC TO EN 22768-1/2

ALL DIMENSIONS IN MILLIMETERS



FIRST ANGLE  
PROJECTION

**BROOK  
CROMPTON**

Produced by **Tamel** a company of **ATB**  
ELECTRIC MOTORS Technology in Motion

SHEET SIZE: **A3** TITLE: OUTLINE DIMENSIONS DRAWING TOTALLY ENCLOSED FAN COOLED WP-DA180L FRAME D FLANGE MOUNTED MOTOR.

|         |      |          |           |              |  |
|---------|------|----------|-----------|--------------|--|
| DRAWN   | NAME | DATE     | DRG. No.  | WP-DA180L B5 |  |
| CHECKED | SZ   | 30-04-19 | DRG. REF. |              |  |
| SCALE   | RG   | 30-04-19 | REVISION: | DATE         |  |
|         |      | 1:4      |           |              |  |